

**Product Data Sheet**  
Fourmarketing.com | (870) 725-2900

---

**4R-6419**

---

**Fully Refined Paraffin Wax**

Test Description	ASTM Method	Min	Typical	Max
Melting Point, °C/°F	D87	63.8°C (147°F)	65.6°C (150°F)	68.3°C (155°F)
Penetration, 25°C- 77°F	D1321	11	13	17
Saybolt Color	D156	28	30	
Oil Content, %	D721		<0.5	0.8
Odor	D1833	Pass		
FDA 21 CFR 172.886	FDA	Pass		

Published Date:12-17-21

---

715 Ouachita Road 72, Smackover, AR 71762

